



MODEL			C - O			C - O			C - O	
<b>ACERBI</b>										
		<b>200 407</b>	468 - 778	O/O						
431806		<b>100 342</b>	398 - 638	O/O						
		<b>200 449 A</b>	312 - 457	O/O						
		<b>200 480 A</b>	320 - 468	O/O						
449374		<b>100 619 A</b>	435 - 712	O/O						
<b>ADIGE</b>										
		<b>200 337</b>	330 - 513	O/O						
		<b>200 407 A</b>	468 - 778	O/O						
841110200					<b>200 400</b>	291 - 435	O/O			
128711301					<b>100 415</b>	277 - 418	O/O			
	Craschetta				<b>200 910</b>	296 - 419	O/O			
					<b>200 411 12</b>	282 - 415	O/O			
<b>ASSE RICO</b>										
		<b>200 407</b>	468 - 778	O/O						
					<b>200 401♦</b>	356 - 559	O/O			
					<b>100 418 16</b>	352 - 555	O/O			
								<b>200 417</b>	356-559	O/O
								<b>200 410 12</b>	356-559	O/O
<b>AUSTERAS</b>										
		<b>100 334</b>	350 - 554	O/O						
		<b>100 504</b>	465 - 773	O/O						
		<b>200 407</b>	468 - 778	O/O						
					<b>200 401♦</b>	356 - 559	O/O			
					<b>100418 16</b>	352 - 555	O/O			
99391004								<b>200 419♦</b>	398-645	O/O
								<b>200 409 12</b>	398-645	O/O
		<b>200 437 A</b>	405 - 647	O/O						
<b>BARTOLETTI</b>										
91610014		<b>100 503</b>	404 - 654	O/O						
		<b>100 342</b>	398 - 638	O/O						
		<b>200 407</b>	468 - 778	O/O						
					<b>200 401 ♦</b>	356 - 559				
					<b>100 418 18</b>	352 - 555				
91610261		<b>200 436 A</b>	343 - 515	O/O						
91610259/91610266	Parapol vere Grosso	<b>200 430 A</b>	432 - 678	O/O						
91610264	Parapol vere picolo	<b>200 431A</b>	431 - 688	O/O						
91610263		<b>200 432A</b>	431 - 688	O/O						
91610267		<b>200 433A</b>	431 - 688	O/O						



MODEL			C - O			C - O			C - O	
<b>BARTOLETTI</b>										
91610271		<b>200 429A</b>	347 - 512	O/O						
91610272		<b>200 442A</b>	431 - 688	O/O						
91610274/91610275		<b>200 478A</b>	431 - 688	O/O						
91610276		<b>200 483A</b>	340 - 510	O/O						
91610279		<b>200 465A</b>	431 - 688	O/O	<b>200 427</b>	294 - 435	O/O			
<b>BATTAGLINO</b>										
		<b>100 334</b>	350 - 554	O/O						
2606400		<b>100 503</b>	404 - 654	O/O						
		<b>200 407</b>	468 - 778	O/O						
2606800		<b>200 437</b>	405 - 647	O/O						
					<b>200 402</b>	330 - 515	O/O			
2605100								<b>200 419♦</b>	398-645	O/O
								<b>200 409 12</b>	398-645	O/O
2607400								<b>200 417</b>	356-559	O/O
								<b>200 410 12</b>	356-559	O/O
	3 asse MB-3nd Axle MB	<b>200 499</b>	467 - 765	O/O						
<b>BOSSINI</b>										
					<b>100 405</b>	352 - 555	O/O			
<b>B.P.W</b>										
0.41.02.007.0		<b>200 499</b>	467 - 765	O/O						
02.3702.10.00	O serie/6-10 ton	<b>200 458 A</b>	484 - 800	O/O						
02.372.11.00	Horizontal application				<b>200 866</b>	484 - 785	O/O			
02.3702.14.00	O/ON/ONT/ 3,6-5,6 ton	<b>200 475 A</b>	330 - 493	O/O						
02.3702.16.00		<b>200 441 A</b>	331 - 495	O/O						
02.3702.17.00	O/OM/OT/6,5-13to	<b>200 458 A</b>	484 - 800	O/O						
02.3702.18.00	O/ON/OT/ON/ON/ MONT									
02.3702.19.00	O/OM/OT/6,5-13t	<b>200 441 A</b>	331 - 495	O/O						
02.3702.20.00	O/OM/OT/8-13ton	<b>200 448 A</b>	427 - 695	O/O						
02.3702.22.00	O/OM/OT/6-13ton									
02.3702.36.00	O/OM/OT	<b>200 441 A</b>	331 - 495	O/O						
02.3702.48.00	O/OM/OT	<b>200 479 A</b>	432 - 698	O/O						
02.3702.51.00	O/OM/OT/6,5- 13Ton									
02.3702.52.00	O/OM/OT/6,5-13to	<b>200 441 A</b>	331 - 495	O/O						
02.3702.67.00	OM/OT/ON/ ONM/ONT	<b>200 445 A</b>	465 - 765	O/O						
02.3702.70.00	OM/6,5-13ton	<b>200 491 A</b>	292 - 432	O/O						
02.3702.92.00	OM/SL/6,5-13t.	<b>200 469 A</b>	355 - 541	O/O						
02.3702.93.00	Horizontal application							<b>100 403</b>	388- 632	O/O
02.3722.14.00	ZZONT/O/OM/ OT/LL/SL	<b>200 497 A</b>	328 - 498	O/O						
02.3722.31.00		<b>100 837</b>	25 5- 353	O/O						
<b>UTVA</b>										
Trailer		<b>201 073</b>		O/O						



MODEL			C - O			C - O			C - O	
<b>BERTOJA</b>										
		<b>200 337</b>	330 - 513	O/O						
45101009		<b>200 407 A</b>	468 - 778	O/O						
45101010/45101013 42301600200	Parapoluer gros Parapoluer picol	<b>200 434 A</b>	296 - 425	O/O						
		<b>200 446 A</b>	300 - 426	O/O						
<b>BOLGAN</b>										
30001003		<b>207799</b>	300 - 432	O/O						
<b>BREMACH</b>										
B 6033		<b>206883</b>	265 - 395	O/O						
90 B 1020		<b>207998</b>	380 - 541	O/O						
90 A 1022		<b>207999</b>	380 - 581	O/O						
81987		<b>100 372</b>	350 - 565	O/O						
80905		<b>100 953</b>	328 - 538	O/O						
92 B 1006		<b>100 605</b>	305 - 466	O/O						
90 A 1004		<b>100 604</b>	305 - 466	O/O						
<b>BROSHUIS</b>										
		<b>201039</b>	416 - 682	I/O						
<b>CALABRESE</b>										
		<b>200 334</b>	350 - 554	O/O						
2733300		<b>100 503</b>	404 - 654	O/O						
		<b>100 342</b>	398 - 638	O/O						
128711209		<b>200 431 A</b>	431 - 688	O/O						
<b>CAMPANA</b>										
		<b>200 407</b>	468 - 778	O/O						
		<b>200 943</b>	405 - 640	O/O						
		<b>200 944</b>	420 - 682	O/O						
		<b>200 343</b>	430 - 711	O/O						
		<b>200 506</b>	440 - 726	O/O						
<b>CARDI</b>										
0050010		<b>200 334</b>	350 - 554	O/O						
00500300		<b>200 435 A</b>	369 - 556	O/O						
00500200		<b>200 407 A</b>	468 - 778	O/O						
00500900	Parapoluer gros Parapoluer picol	<b>200 434 A</b>	296 - 425	O/O						
		<b>200 446 A</b>	300 - 426	O/O						
00500600	Parapoluer Parapoluer picol	<b>200 430 A</b>	432 - 678	O/O						
		<b>200 431 A</b>	431 - 688	O/O						
00501000		<b>200 456 A</b>	431 - 688	O/O						
00501300		<b>200 461 A</b>	331 - 495	O/O						
<b>CARENZI</b>										
		<b>200 407</b>	468 - 778	O/O						
		<b>100 342</b>	368 - 638	O/O						



MODEL			C - O			C - O			C - O	
<b>CHIAVETA</b>										
		<i>200 468 A</i>	320 - 465	O/O						
<b>CODER</b>										
4050		<i>200 617 A</i>	325 - 474	O/O						
<b>DIANA CAR</b>										
		<i>200 646 A</i>	404 - 635	O/O						
<b>EMILCAMION</b>										
		<i>100 503</i>	404 - 654	O/O						
		<i>100 504</i>	465 - 773	O/O						
					<i>100 405</i>	352 - 555	O/O			
								<i>200 417♦</i>	356-559	O/O
								<i>200 410 12</i>	356-559	O/O
<b>FIA CESCHI</b>										
		<i>200 334</i>	350 - 554	O/O						
055063		<i>100 506</i>	440 - 726	O/O						
		<i>200 407</i>	468 - 778	O/O						
		<i>200 343</i>								
051075					<i>200 401♦</i>	356 - 559	O/O			
					<i>100 418 16</i>	352 - 555	O/O			
051101	Occhio girato 90°							<i>200 417♦</i>	356-559	O/O
								<i>200 410 12</i>	356-559	O/O
								<i>200 423</i>	356-559	O/O
	Cvaschetta				<i>200 408♦</i>	398 - 645	O/O			
					<i>200 920♦</i>	395 - 600	O/O			
055904		<i>200 439 A</i>	335 - 510	O/O						
<b>F.III DIECI</b>										
		<i>200 435</i>	369 - 556	O/O						
<b>FRANCHIN</b>										
		<i>100 504</i>	465 - 773	O/O						
		<i>100 506</i>	440 - 726	O/O						
		<i>200 337</i>	330 - 513	O/O						
		<i>200 435</i>	369 - 556	O/O						
		<i>200 944</i>	420 - 682	O/O						
		<i>100 339</i>	328 - 503	O/O						
<b>FRUEHAUF (SMB&amp;GENERAL TRAILERS)</b>										
1513444 Q-313		<i>100 550B</i>	339 - 548	I/I						
1522341 1527870 U-JC0027-01		<i>100 498 A</i>	280 - 376	O/O						



MODEL			C - O			C - O			C - O	
<b>FRUEHAUF</b> (SMB&GENERAL TRAILERS)										
1526855 M001537 M007950 M200052 M200133 U-JB0364 U-JB0563 U-JB0565		<b>200 480 A</b>	320 - 468	O/O						
8404174		<b>200 460</b>	322 - 475	O/O						
10490.50.565.1	Assale autost- Steering axle				<b>200 866</b>	480 - 790	O/O			
B-JB0180-001 M007942 U-CE-1295-1 U-JA0878001 U-JB0177001 U-JB0177 U-JB0179 U-JB0315 U-JB0316 U-JB0562 U-JC0020 UJ-C0054 W40-12762		<b>200 449 A</b>	312 - 457	O/O						
M001545 M007969 M200051 M200134 U-JB036 U-JB05645		<b>200 618 A</b>	308 - 420	O/O						
M015236					<b>100 415</b>	277 - 418	O/O			
M077800		<b>100 619A</b>	435 - 712	O/O						
<b>FRESIA</b>										
004 061		<b>204 789</b>	356 - 558	O/O						
0080456		<b>207 607</b>	573 - 966	O/O						
<b>FLOOR</b>										
4146		<b>201 038</b>	389 - 662	I/I						
4334		<b>201 033</b>	379 - 640	I/I						
902417		<b>201 033</b>	379 - 640	I/I						
<b>GENERAL TRAILERS</b>										
Vedi FRUEHAUF See FRUEHAUF										



MODEL			C - O			C - O			C - O	
<b>GIGANT (TRNKAMP &amp; CHELE)</b>										
196103/196111		<b>100 447 A</b>	331 - 499	O/O						
196112		<b>100 615 A</b>	329 - 501	O/O						
196115		<b>200 497 A</b>	328 - 497	O/O						
<b>GIRELLI</b>										
		<b>200 334</b>	350-554	O/O						
		<b>100 503</b>	404 - 654	O/O						
		<b>100 342</b>	398 - 638	O/O						
	Cvaschetta				<b>200 408</b>	398 - 645	O/O			
					<b>200 920</b>	395 - 600	O/O			
								<b>200 419</b>	398-645	O/O
								<b>200 409 12</b>	398-645	O/O
								<b>200 417</b>	356-559	O/O
								<b>200 410 12</b>	356- 559	O/O
		<b>200 437A</b>	405 - 647	O/O						
<b>HENDRIKSON</b>										
AA230T										
AA250T		<b>200 414</b>	297 - 439	O/O						
HT300T										
HT300U										
H5251084	Discos HT 250 RE	<b>200 462</b>	265 - 375	O/O						
NM2999/AM752999		<b>100 608</b>	354 - 557	O/O						
Y506246/AM756246		<b>200 406</b>	308 - 440	O/O						
Y508571/AM758571		<b>200 404</b>	316 - 437	O/O						
<b>INDUSTRIAL CAR</b>										
		<b>200 407</b>	468 - 778	O/O						
<b>KASSBOHRER</b>										
8231092000	VC12L-D17L	<b>100 488 A</b>	360 - 560	O/O						
8231276000	Steering damper				<b>200 866</b>		O/O			
<b>LECITRAILER</b>										
5180011		<b>200 441 A</b>	331 - 495	O/O						
5180021		<b>200 441 A</b>	427 - 695	O/O						
<b>LOHR</b>										
06030510		<b>200 936A</b>	326 - 484	O/O						
06030508/06930509		<b>200 937A</b>	295 - 415	O/O						
06030505		<b>100 519A</b>	325 - 496	O/O						
<b>LOMAS</b>										
		<b>100 342</b>	398 - 638	O/O						
		<b>200 407</b>	468 - 778	O/O						
<b>MAROTTA</b>										
		<b>100 342</b>	398 - 638	O/O						
<b>MECC.MURCIANA</b>										
					<b>200 401</b>	356 - 559	O/O			
					<b>100418 16</b>	352 - 555	O/O			










Приколки / Trailers and axles / Rimorchi ed assali  
Anhängers und achse / Remorques et essieux / Remorques y ejes



MODEL			C - O			C - O			C - O	
<b>MENCI</b>										
		200 445 A	465 - 765	O/O						
<b>MERITOR-R.O.R.</b>										
Vedi R.O.R.MERITOR See R.O.R.MERITOR										
<b>MIELE</b>										
		100 503	404 - 654	O/O						
		200 351B	390 - 613	O/O						
060AMM0504		200 446A	300 - 426	O/O						
<b>MINERVA</b>										
		200 943	405 - 640	O/O						
<b>MISTRALL</b>										
		200354BA	425 - 470	O/O						
		200 431A	431 - 688	O/O						
		200 484A	431- 688	O/O						
		200 481A	305- 424	O/O						
<b>MONTENEGRO IBERICA</b>										
50031668		100 470A	355 - 535	O/O						
<b>NEWAY</b>										
		200 414A	297 - 439	O/O						
070077802		100 520A	462 - 726	I/O						
<b>O.M.T</b>										
		100 342	398 - 638	O/O						
22450420	Parapolver grosso Parapolver piccolo	200 434 A	296 - 425	O/O						
		200 446 A	300 - 426	O/O						
22450430		200 716 A	330 - 491	O/O						
<b>ORSI MUSIANI</b>										
		200 407	468 - 778	O/O						
<b>PERLINI</b>										
		100 342	398 - 638	O/O						
		200 435	369 - 556	O/O						
	Cvaschetta				200 408	398 - 645	O/O			
					200 920	395 - 600	O/O			
<b>PIACENZA</b>										
		200 334	350 - 554	O/O						
1201044R45		200 337	330 - 513	O/O						
1201049/45		200 439 A	335 - 510	O/O						
1201048/45	Parapolver grosso Parapolver piccolo	200 710 A	331 - 500	O/O						
		200 716 A	330 - 491	O/O						
<b>ROLFO</b>										
		200 334	350 - 554	O/O						
112284		100 503	404 - 654	O/O						
		100 504	465 - 773	O/O						
		200 337	330 - 513	O/O						
		100 342	398 - 638	O/O						



MODEL			C - O			C - O			C - O	
<b>ROLFO</b>										
112293		<b>200 407 A</b>	468 - 778	O/O						
112297		<b>200 438 A</b>	335 - 510	O/O						
112294		<b>200 439 A</b>	335 - 510	O/O						
112283		<b>200 440 A</b>	330 - 487	O/O						
		<b>200 455 A</b>	334 - 488	O/O						
112320		<b>200 481 A</b>	305 - 424	O/O						
<b>ROMANAZZI</b>										
		<b>100 342</b>	398 - 638	O/O						
		<b>200 351 B</b>	390 - 613	O/O						
		<b>200 944</b>	420 - 682	O/O						
<b>R.O.R.MERITOR</b>										
902368/902404		<b>200 459 A</b>	300 - 432	O/O						
21208363		<b>200 460 A</b>	322 - 475	O/O						
21216058(901940)	Flexair 11000 S0sp.independent Inolipendent susp	<b>200 460 A</b>	322 - 475	O/O						
21222271(902210)	Flexair	<b>200 459 A</b>	300 - 432	O/O						
21224034		<b>200 460</b>	322 - 475	O/O						
21224331										
21224531		<b>200 459 A</b>	300 - 432	O/O						
21224745										
211224778		<b>200 612 A</b>	275 - 374	O/O						
21212534								<b>200 419</b>	398-645	O/O
								<b>200409 12</b>	398-645	O/O
212125575								<b>100 405</b>	352-555	O/O
21215607										
21215807		<b>200 446</b>		O/O						
21221306										
21221306K										
21222469	T.M.				<b>100 418</b>	356-559	O/O			
21223345	T.E							<b>200 417</b>	356-559	O/O
								<b>200 410 12</b>	356-559	O/O
21224034	Inclair	<b>200 460 A</b>	322 - 475	O/O						
21224531B		<b>200 459 A</b>	300 - 432	O/O						
21224745	Flexair 9000- 11000									
<b>SAF</b>										
2.376.0005.00	AR 413/LFAxle	<b>200 476 A</b>	317 - 475	O/O						
2.376.0006.00										
2.376.0008.00	AR 413/LFAxle	<b>200 476 A</b>	317 - 475	O/O						
2.376.0010.00										
2.376.0009.00	AR112/113	<b>100 632 A</b>	335 - 514	O/O						
2.376.0010.01	AR 413/EU416									
2.376.0010.02	AR 413/LFAxle	<b>200 457 A</b>	317 - 475	O/O						
2.376.0014.00	AR413special									
2.376.0018.00	AR316/418/ LF axle									
2.376.0002.00	AR314/414	<b>100 472 A</b>	388 - 627	O/O						












Приколки / Trailers and axles / Rimorchi ed assali  
Anhängers und achse / Remorques et essieux / Remorques y ejes



MODEL			C - O			C - O			C - O	
<b>SAF</b>										
2.376.0003.00	AR 413									
2.376.0003.01	AR 413	<b>100 473 A</b>	389 - 618	O/O						
2.376.0003.02	AR 413									
2.376.0016.00	AR221	<b>100 609</b>	434 - 718	O/O						
2.376.0026.00	EM-311/411 EO-314/414	<b>200 494 A</b>	327 - 491	O/O						
2.376.0027.00		<b>200 491 A</b>	292 - 432	O/O						
2.376.0030.00		<b>200 490 A</b>	315 - 475	O/O						
2.376.0031.00	Intadisc plus	<b>200 489 A</b>	350 - 540	O/O						
2.376.0070.00	Intadisc plusII	<b>200 613</b>		O/O						
2.376.0071.00	Horizontal application intra- Disc plus II	<b>200 614 A</b>	318 - 489	O/O						
2.376.1005.00	Sell steering axle				<b>200 610</b>	411- 656	O/O			
<b>SANSAVINI</b>										
		<b>100 504</b>	465 - 773	O/O						
					<b>200 417</b>	356 - 559	O/O			
					<b>200 410 12</b>	356 - 559	O/O			
<b>SCHMITZ</b>										
020044	Cargobull	<b>200 441 A</b>	331 - 495	O/O						
028363										
<b>SEG SAMPRO</b>										
2500 001		<b>200 616 A</b>	338 - 475	O/O						
503 100										
2500 002		<b>200 617 A</b>	325 - 474	O/O						
371 424										
501 400										
<b>SIRMAC-SIMA</b>										
28517000					<b>200 400</b>	291 - 435	O/O			
					<b>100 415 16</b>	283 - 416	O/O			
	Clvaschetta				<b>200 910</b>	296 - 419	O/O			
F28960400								<b>200 409</b>	398 - 645	O/O
					<b>200 413</b>	291 - 435	O/O			
<b>SMB</b>										
Vedi FRUEHAUF										
See FRUEHAUF										
<b>STEFEN</b>										
M01120000	Tipe piccolo				<b>200 401♦</b>	356 - 559	O/O			
					<b>100 418♦</b>	352 - 555	O/O			
M01120000	Occie girate 90°				<b>100 424</b>	352 - 555	O/O			
M01110085								<b>200 419</b>	398 - 645	O/O
								<b>200409 12</b>	398 - 645	O/O
	Occie girate 90°							<b>200 416</b>	398 - 645	O/O
M01110070					<b>100 405</b>	352 - 555	O/O			
B0101000900		<b>200 487 A</b>	348 - 550							
M01121030								<b>200 417♦</b>	356 - 559	O/O
								<b>200 410 12</b>	356 - 559	O/O
<b>TRAILOR</b>										
003614P		<b>100 471 A</b>	336 - 505	O/O						
6503123L/6503608P		<b>200 476 A</b>	317 - 475	O/O						



MODEL			C - O			C - O			C - O	
<b>TRAILOR</b>										
65046384		<b>200 457 A</b>	317 - 475	O/O						
6504638G										
65066368		<b>200 457 A</b>	317 - 475	O/O						
6506636B										
6506635A		<b>200 476 A</b>	317 - 475	O/O						
6505245X		<b>100 471 A</b>	336 - 505	O/O						
7000057L		<b>200 480 A</b>	320 - 468	O/O						
2.376.0010.00		<b>200 476 A</b>	317 - 475	O/O						
2.376.0018.00		<b>200 457 A</b>	317 - 475	O/O						
2.376.1005.00	Steering axle				<b>200 610</b>	411 - 656	O/O			
M001537										
1526855		<b>200 480 A</b>	320 - 463	O/O						
U-JB0364										
U-JB0565										
M001545/M007969		<b>200 618 A</b>	308 - 420	O/O						
<b>TRAS-CAR</b>										
		<b>100 504</b>	465 - 773	O/O						
		<b>200 437 A</b>	405 - 647	O/O						
<b>TRA'X</b>										
4050		<b>200 617 A</b>	325 - 474	O/O						
40050		<b>200 616 A</b>	338 - 475	O/O						
<b>TROUILLET</b>										
HT 10030/HT 10515		<b>200 633 A</b>	468 - 735	O/O						
<b>TREKAMP&amp;CHELE</b>										
Vedi GIGANT										
See GIGANT										
<b>VIBERTI</b>										
		<b>200 354B</b>	325 - 470	O/O						
128711201		<b>200 407</b>	468 - 778	O/O						
		<b>100 342</b>	398 - 638	O/O						
128711301	Tipo piccolo				<b>200400</b>	291 - 435	O/O			
					<b>100 415</b>	277 - 418	O/O			
	Civaschetta				<b>200 910</b>	296 - 419	O/O			
					<b>200 411 12</b>	282 - 415	O/O			
128711204/207	Parapolver grosso	<b>200 430 A</b>	432 - 678	O/O						
128711209	Parapolver piccolo	<b>200 428 A</b>	434 - 690	O/O						
		<b>200 432 A</b>	431 - 688	O/O						
<b>WEGA</b>										
	Ruote da 15°				<b>200 422</b>	395 - 619	O/O			
					<b>200 401</b>	356 - 559	O/O			
					<b>200 412</b>	330 - 485	O/O			
	Occhie girate 90sc°				<b>200 420</b>	395 - 619	O/O			
	Occhie girate 90sc°				<b>200 421</b>	395 - 619	O/O			
	Civaschetta									
<b>WEWELER</b>										
21216058		<b>200 476 A</b>	317 - 475	O/O						



MODEL			C - O			C - O			C - O	
<b>WEWELER</b>										
902022										
902022SP2		<b>200 446 A</b>	300 - 426	O/O						
902036										
902194		<b>200 476 A</b>	317 - 475	O/O						
21222271		<b>200 459 A</b>	300 - 432	O/O						
<b>GOSA</b>										
U-JA 0878		<b>200 068</b>	310 - 460	O/O						
<b>ZORZI</b>										
1.006.602		<b>200 435 A</b>	369 - 556	O/O						
		<b>200 407</b>	468 - 778	O/O						
1.006.607		<b>200 436 A</b>	343 - 515	O/O						
1.006.609		<b>200 437</b>	405 - 647	O/O						
1.006.610	Parapolver grosso Parapolver piccolo	<b>200 434 A</b>	296 - 425	O/O						
1.006.611		<b>200 446 A</b>	300 - 426	O/O						
1.006.612		<b>200 454 A</b>	334 - 496	O/O						
1.006.613		<b>200 464 A</b>	466 - 762	O/O						
1.006.617		<b>200 466 A</b>	322 - 462	O/O						
1.006.618		<b>200 467 A</b>	322 - 462	O/O						
1.006.619		<b>200 481 A</b>	305 - 424	O/O						

