



**Амортизери за кабина / Cabin shock absorbers / Ammortizzatori cabina
Fahrerhaus dämpfer / Amortisseurs cabine / Amortiguadores cabina**



MODEL			C - O			C - O	
ASTRA							
BM 300 BM 6000 HD 6					50 254	222-297	O/I
HD 7		50 124	198-268	O/O			
DAF							
95-95 XF	Whit pneumatic Suspension integrated	50 218 A	275-320	O/I	50 219 A	235-280	O/I
2800 FA/FT/3200					50 162	165-243	I/I
ERF							
A/B&C		50 177	170-216	O/O	50 178	235-320	O/I
IVECO							
50.9/60.8/65.10/70.10 79.10/80.13/90.13/95.14 100.13/109.14 80.13AH/90.13AH/90.16 110.16/110.17/130.13/130/16					50 108	184-254	O/O
145.14/17		50 118	195-238	O/O			
150.16AN/ANV 190.20 N 190PAC20/26 190.26N/NT/NW 190PAT26 260.26N/NW 330.26N					50 125	250-352	O/O
170.20/.26/.35 190.20/.26/.35		50 101	155-208	O/O			
160.26 180.24/.26 190.30/.35/.38 160.26 180.24/25 190.30/.35/.38					50 103	180-243	O/O
220.30/.38 240.30					50 103	180-243	O/O
115.14/17 135.14/17					50 104	165-225	O/O
190.33/.42/.48		50 105	198-268	O/O	50 107	370-430	O/O
180.24/.26 190.30/.38/.42 220.30/.38 240.30/.38 260.36		50 106	184-254	O/O			
190PT26 260PC35 330PC26/PT26/PC35/PT35					50 109	303-330	O/O
360.33		50 119	190-255	O/O			



MODEL			C - O			C - O	
IVECO-EUROCARGO							
60/E 65/E (05/1991→) 75/E					50 115	197-254	O/O
80E/100E/120E/130E/150		50 117	188-250	O/O			
IVECO-EUROTECH							
1a Version	With pneumatic suspension integrated				50 201A	297-352	O/O
2a Version	With pneumatic suspension integrated				50 203 A	305-352	O/O
ALL TYPES		50 124	196-268	O/O			
ALL TYPES	Air spring	50 204	196-268	O/O			
IVECO-EUROSTAR							
Last type	With pneumatic Suspension integrated				50 202	348-396	O/O
1a Version	With pneumatic Suspension integrated				50 201A	297-352	I/O
2a Version	With pneumatic Suspension integrated				50 203A	305-352	I/O
ALL TYPE		50 124	196-268	O/O			
ALL TYPE To install on vehicles with integral air suspension, only	Air spring	50 124 50 204	196-268	O/O			
IVECO-EUROTRAKKER							
LAST TYPE					50 202A	348-396	O/O
ALL TYPE		50 124	196-268	O/O			
130→400					50 125	250-352	O/O
330.36	2a serie				50 136	332-382	O/O
LEYLAND							
CRUISER&FREIGHETER					50 179	146-210	I/I
MAN							
BF 780		50 152	185-250	O/O			
8.156 F		50 152	185-250	O/O			
9.156 F		50 152	185-250	O/O			
9.186 F		50 152	185-250	O/O			
10.212 BF		50 152	185-250	O/O			
11.136 H 11.136 HAK 11.136 HK 11.136 HS		50 152	185-250	O/O			
12.156 F 12.186 F 12.215 F		50 152	185-250	O/O			
13.168 F 13.192 F					50 149	165-230	I/O



Амортизери за кабина / *Cabin shock absorbers* / Ammortizzatori cabina
 Fahrerhaus dämpfer / Amortisseurs cabine / Amortiguadores cabina



MODEL			C - O			C - O	
MAN							
13.136 H/HA 13.136 HAK 13.136 HK 13.168 H/HA 13.168 HAK 13.168 HK 13 168 HS 13.192 U 13.215 F 13.230 F 13.250 F		50 152	185-250	O/O			
14.192 U		50 152	185-250	O/O			
15.168 F 15.200 F 15.240 F					50 149	165-230	I/O
15.136 H/HA 15.136 HAK 15.136 HK 15.168 H/HA 15.168 HK 15.192 HAK 15.192 HAS 15.192 HK 15.192 HS 15.192 U 15.216 H/HA		50 192	185-250	O/O			
15.216 HAK 15.216 HAS 15.216 HK 15.216 HS		50 152	185-250	O/O			
16.168 F 16.168 FKO 16.168 FM 16.192 F 16.192 FKO 16.192 FM 16.200 F 16.200 FR 16.220 FA(520) 16.240 FA(520) 16.240 FR 16.256 F 16.256 FL 16.280 FL 16.320 DF 16.320 DFA 16.320 FL					50 149	185-250	I/O
16.215 FN 16.230 FN 16.256 HAK		50 152	185-250	O/O			



Амортизери за кабина / *Cabin shock absorbers* / Ammortizzatori cabina
 Fahrerhaus dämpfer / Amortisseurs cabine / Amortiguadores cabina



MODEL		 front	C - O		 rear	C - O	
MAN							
16.256 HK 16.256 HS 16.320 U 16.320 UK 16.321 16.321 UL		50 152	185-250	O/O			
19.200 F 19.240 F 19.240 FA 19.256 F 19.320 DF 19.320 DFA 19.320 FR	520 520				50 149	165-230	I/O
19.344 FLL(4x2)	T 20	50 209A	260-310	O/I	50 210A	240-290	O/O
19.293 FLL(01/1996→) 19.344 FLL(01/1996→)	T20 ex Toppersleeper FH T20 ex Toppersleeper FH	50 265		O/I			
20.320 FVLS					50 149	165-230	I/O
22.291 UNL/LL 22.231 UNL/LL 22.361 UNL/LL	930 930 930				50 152	185-250	O/O
22.200 FNLM 22.240 FNL 22.280 FNLM 22.320 FNL 22.320 FVLS					50 149	165-230	I/O
25.291 UNL/LL 25.331 UNL/LL 25.361 UNL/LL					50 152	185-250	O/O
26.240 DF 26.240 DFA 26.256 DF 26.256 DFA 26.320 DF					50 149	165-230	I/O
26.273 FNL/R(6x2/2) 26.323 FNLL/R(6x2/2) 26.343 FNLL/R(6x2/2) 26.273 DF (6x4) 26.293 DF (6x4) 26.323 DF (6x4) 26.343 DF (6x4)					50 210A	240-290	O/O
26.291 UNL/LL 26.331 UNL/LL 26.361 UNL/LL	930 930 930				50 152	185-250	O/O



Амортизери за кабина / *Cabin shock absorbers* / Ammortizzatori cabina
 Fahrerhaus dämpfer / Amortisseurs cabine / Amortiguadores cabina



MODEL			C - O			C - O	
MAN							
27.323 DF (6x4)	T09				50 210 A 20	240-290	O/O
30.240 DF 30.240 DFA 30.240 VFR 30.256 DF 30.256 DFA 30.320 DF 30.320 DFA					50 149	165-230	I/O
MERCEDES-BENZ							
1831→3353(950/953/954) (With pneumatic suspension Integrated)	→Chass.N K351350 Chass.N K351350→	50 206A 50 207A	280-345 255-353	O/O O/O	50 205A	280-315	O/O
334 37/32 LPS 338 L/LP					50 121	258-392	O/O
709	673.001-003				50 257 19 50 258 20	203-275 200-284	O/O I/O
709 K	673.040				50 257 19	203-275	O/O
710L/LA/LP	323				50 121	258-392	O/O
808 LP 810 LP 811 LP 813	318				50 121	258-392	O/O
809 814 814 814 F 817 817 F 817 L	673.010-014 674.010-014 674.212-214 674.080-082 676.001-004 676.080-082 676.201-204				50 257 19 50 258 20	203-275 200-284	O/O I/O
809 K 814 L 814 K 814 KO 814 S 814 K 817 LS 817 S	673.042 674.010/011 674.042 674.090 674.052 676.040 676.250-253 676.050/051				50 257 19	203-275	O/O
911B/L/LA/LP/LAP 913 913 LP	318 352				50 121	258-392	O/O
914 914 AK	674.021-024 674.144/145				50 257 19 50 258 20	203-275 200-284	O/O I/O
914 K 914 KO 917 AK	674.044 674.090 674.144				50 257 19	203-275	O/O



MODEL			C - O			C - O	
MERCEDES-BENZ							
1113 B/L/LA 1113 L/LA/LP/LAP	358 322				<i>50 121</i>	258-392	O/O
1114	675	<i>50 257</i>	203-275	O/O			
1117	676.212-214				<i>50 257 19</i> <i>50 258 20</i>	203-275 200-284	O/O I/O
1118L					<i>50 121</i>	258-392	O/O
1213 LP					<i>50 121</i>	258-392	O/O
1314	675				<i>50 257</i>	203-275	O/O
1413 L/LA 1413 LP 1423 L/LA/LP	327 340				<i>50 121</i>	258-392	O/O
1418 L/LP	330				<i>50 121</i>	258-392	O/O
1422	616				<i>50 121</i>	258-392	O/O
1513 L/LA/LAK/LAKO 1530 LP/LK/LS/LKO 1519 L/LA/LP	360 360				<i>50 121</i>	258-392	O/O
1518 LAK	339				<i>50 121</i>	258-392	O/O
1618 L 1620 L/LA					<i>50 121</i>	258-392	O/O
1619 B/LP					<i>50 121</i>	258-392	O/O
1619 R		<i>50 120</i>	195-258	O/O	<i>50 120</i>	195-258	O/O
1624 L/LA 1626 LP/LPK/LPS 1632 LP/LPK/LPS	363 363				<i>50 121</i> <i>50 259</i>	258-392 244-383	O/O O/O
1628/S	620.006/162/163	<i>50 120</i>	263-384	O/O			
1632 S		<i>50 120</i>	263-384	O/O	<i>50 120</i>	263-384	O/O
1633 1633 S 1636	620.046 620.142/143 620.026	<i>50 120</i>	263-384	O/O	<i>50 120</i>	263-384	O/O
1633 S 1636 S	620.142/143 620.122/123				<i>50 120</i>	263-384	O/O
1633 1633 S 1635	620.096 620.192/193 645.076	<i>50 120</i>	263-384	O/O	<i>50 120</i>	263-384	O/O
1635 S 1644/L 1650	645.172/173 645.096 645.096	<i>50 120</i>	263-384	O/O	<i>50 120</i>	263-384	O/O
1635	645.026	<i>50 120</i>	263-384	O/O	<i>50 120 20</i>	263-384	O/O
1635 K	645.127				<i>50 120 20</i>	263-384	O/O
1638/S	620.066/182/183	<i>50 120</i>	263-384	O/O	<i>50 120</i>	263-384	O/O
1644 S	645.192/193	<i>50 120</i>	263-384	O/O	<i>50 120</i>	263-384	O/O
1729 L	655.416/418				<i>50 120</i>	263-384	O/O



Амортизери за кабина / *Cabin shock absorbers* / Ammortizzatori cabina
Fahrerhaus dämpfer / Amortisseurs cabine / Amortiguadores cabina



MODEL			C - O			C - O	
MERCEDES-BENZ							
1729 L 1735 L 1735 LS 1748 L 1748 LS	655.476 655.476 655.572.573 655.496 655.592.593	50 120	263-384	O/O	50 120	263-384	O/O
1735 S	645.172/173				50 120 19	263-384	O/O
1748 S	655.096/192/193	50 120	263-384	O/O	50 120 19	263-384	O/O
1748 L 1748 LS	655.494/496 655.182/183 655.592/593 655.182/183	50 120	263-384	O/O			
1813 L 1819 L					50 121	258-392	O/O
1838	655.086/087 655.182/183	50 120 20	263-384	O/O	50 120 20	263-384	O/O
1838	655.035-038	50 120	263-384	O/O	50 120 20	263-384	O/O
1838 L 1838 LS 1844 L 1844 LS 1850 L 1850 LS/LAS	655.484/486/487 655.182/183 655.582/583/588 655.182/183 655.490/492 655.182/183 655.590.591 655.182/183 655.494/496 655.182/183 655.592 655.182/183	50 120 20	263-384	O/O	50 120 20	263-384	O/O
1844	655.035-037	50 120 20	263-384	O/O	50 120 20	263-384	O/O
1844 1850 S	655.093/190/191 655.098/192/193	50 120 20	263-384	O/O	50 120 20	263-384	O/O
1918 L 1920 L/LA 1921 L 1924 L/LA	349				50 121	258-332	O/O
1926 LP/LPK/LPS 1932 LPK/LPS	363 363				50 259		O/O
1933 S 1938 S	621.142/143/192 621.182	50 120	263-384	O/O	50 120	263-384	O/O
1935 1935 S 1936 K 1948 1948	656.076.078 656.172 621.127 655.592 656.095.096				50 120	263-384	O/O
1935 S 1935 1935 S	655.122/123 656.025/026/028 656.122/123	50 120 20	263-384	O/O	50 120	263-384	O/O
1944		50 120	263-384	O/O	50 120	263-384	O/O
2032(6x2)					50 259		O/O
2033 S	620.143	50 120 20	263-384	O/O	50 120	263-384	O/O



MODEL			C - O			C - O	
MERCEDES-BENZ							
2033 S	620.193	50 120	263-384	O/O	50 120	263-384	O/O
2220 LK/LAK	343				50 121	258-392	O/O
2226	363				50 259	244-383	O/O
2232 LPN	363						
2233 S	620.143	50 120 20	263-384	O/O	50 120 20	263-384	O/O
2238	620.086	50 120	263-384	O/O	50 120	263-384	O/O
2429	620.418				50 120 20	263-384	O/O
2433	620.046	50 120 20	263-384	O/O	50 120 20	263-384	O/O
2544	655.138/337	50 120	263-384	O/O	50 120	263-384	O/O
2550 L	655.496						
2553 LS	655.192/183 655.593 655.182/183	50 120 20	263-384	O/O	50 120 20	263-384	O/O
2620 LK/LAK	343						
2621 L	334	50 121	258-392	O/O			
2624 L/LA	335.336						
2633 (6x4)	624.048				50 120	263-384	O/O
2633 (6x4)	624.146/196						
2638 (6x4)	624.191						
2635 AS/AK	659.336/338/339	50 120 19	263-384	O/O			
2650 L	655.496	50 120 20	263-384	O/O	50 120 20	263-384	O/O
3326 L	655.182/183 348				50 121	258-392	O/O
RENAULT							
R	All type				50 123	263-303	O/O
AE	All type Last type	50 128 50 256	245-365 253-385	O/I O/O	50 129	205-302	I/I
AE	Air spring	50 267 A			50 267 A		
C/G/GR/J/S					50 157	181-246	O/O
PREMIUM	Air spring	50 153 50 266 A	213-269	O/O	50 251	236-310	O/O
SCANIA							
82/LB112/R112MA/142 (→Chass N 4235823)					50 135	187-227	O/I
90/113/143	With pneumatic Suspension integrated	50 200 A	261-332	I/O	50 200 A	261-332	I/O
93/113/143	For air spring Air spring	50 169 50 222 A	227-323	I/O	50 169 50 222 A	227-323	I/O
93/113/143	Seal	50 194	146-198	O/O			
94/114/144	With pneumatic suspension	50 215 A	216-312	I/I	50 216 A	216-312	I/I
94/124/144 (For air spring)	Air spring Version SACHS	50 180 50 220 A	204-303	I/I	50 181 50 220 A	204-303	I/I
	Air spring Version MONROE	50 186 50 221 A	204-303	I/I	50 187 50 221 A	204-305	I/I



**Амортизери за кабина / Cabin shock absorbers / Ammortizzatori cabina
Fahrerhaus dämpfer / Amortisseurs cabine / Amortiguadores cabina**



MODEL			C - O			C - O	
SCANIA							
141 142	Last type				<i>50 130</i>	158-232	I/I
R 113 H					<i>50 127</i>	230-330	I/O
STEYR							
Tipping Cabin	160.29.440091				<i>50 255</i>	210-265	O/O
VOLVO							
F7		<i>50 168</i>	212-268	O/O	<i>50 167</i> <i>50 145</i>	196-249 258-333	O/O O/O
F10/F12	Sloping assembly	<i>50 140</i>	181-246	O/O	<i>50 140</i> <i>50 145</i>	181-246 258-333	O/O O/O
F10/F12/F16(→Chass.N25000)		<i>50 140</i> <i>50 158</i>	181-246 185-247	O/O O/O	<i>50 261 A</i>		O/O
F10/F12/F16(→Chass.N25001) F10/F12/F16(→Chass.N25001-40640)		<i>50 140</i> <i>50 158</i>	181-246 185-247	O/O O/O	<i>50 261 A</i>		O/O
FL7/FL10(→Chass.N377267) FL7/FL10(→Chass.N561896) FL7/FL10(→Chass.N904206)		<i>50 168</i>	212-268	O/O	<i>50 185 A</i>		I/I
FL7/FL10/FL12(Chass N377368→) FL7/FL10/FL12(Chass N561897→) FL7/FL10/FL12(Chass N904206→)		<i>50 159</i>	200-262	O/O	<i>50 250 A</i>		I/I
FM7/FM10/FM12		<i>50 188</i>	228-336	I/O	<i>50 189</i>	351-392	O/O
FH(→ChassN A291152/B218585)	With pneumatic Suspension integrated	<i>50 212 A</i>	302-430	O/O	<i>50 213 A</i>	345-405	O/O
FH(ChassN A291153/B218586)	With pneumatic Suspension integrated	<i>50 212 A</i>	302-430	O/O	<i>50 214 A</i>	355-410	O/O
FH(→ChassN A291152/B218585)		<i>50 166</i>	300-428	O/O	<i>50 165</i>	350-402	O/O
FH(ChassN A291153/B218586)		<i>50 166</i>	300-428	O/O	<i>50 184</i>	363-415	O/O
FH	Stoping assembly				<i>50 139</i>	233-264	O/O
FH12	L1H1Short cabin	<i>50 166</i>	300-428	O/O	<i>50 263 A</i>		O/O
N10/N12(ChassN 306000→)					<i>50 183</i>	187-239	I/I
N12(1 serie)					<i>50 138</i>	179-230	O/O
TF7/TF10/TF12					<i>50 158</i>	185-247	O/O
SEDIL/SEAT							
ISRI		<i>50 195</i>	169-243	O/O			
ISRI(VOLVO SEAT)	D.E 1696541	<i>50 260</i>		O/O			
GRAMMER FA 4 16		<i>50 198</i>	213-275	O/O			
BREMSHEY		<i>50 199</i>	177-255	O/O			

